



# 19" Duplexer Mounting kit

19" Rack mounting kit for MPX 2/6... , MPX 70/6... , DPF 2/6... and DPF 70/6 duplex filters.



## DESCRIPTION

- For future solutions, integrating duplex filter with repeater.
- Delivered unassembled and without filter (to be ordered separately).
- The 19" Duplexer mounting kit with the Procom duplex filter MPX 2/6..., MPX 70/6..., DPF 2/6... and DPF 70/6 duplex filters are easily rack mounted.
- The mounting kit is one unit (1HU) high and compatible with both types of Procom duplex filters, one for MPX filter and one for DPF filter.

## SPECIFICATION

### Mechanical

**Weight: DPF** 600 g

**Historic Brand** Amphenol Procom

**Dimensions** 19" x 1HU x D.  
(483 x 43 x 220 mm (DPF))  
(483 x 43 x 130 mm (MPX))

**Weight: MPX** 500 g

## ORDERING CODES

| Model                | Product No. | Additional Information |
|----------------------|-------------|------------------------|
| 19" MPX Mounting kit | 210002291   | MPX filter             |
| 19" DPF Mounting kit | 210002327   | DPF filter             |

## ADDITIONAL INFORMATION


## Filter not included

---




## CAN BE CLOSED ABOVE OR BELOW THE REPEATER

---



## TX AND RX CABLES CAN BE SWITCHED TO HIGH OR LOW ON THE FILTER

---



## CABLES CAN BE SWITCHED FROM THE FRONT

---

## Mounting Kit

---

MPX Mounting kit



DPF Mounting kit



## Additional Data

| MODEL                                                              | 19" Duplexer Mounting kit                                                                                        |
|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| CONSISTS OF                                                        | 1 HU Frontplate<br>1 Mounting plate<br>2 black M5x6 mm screw<br>4 M4x6 mm screw                                  |
| To be ordered seperately:<br>Cables for Motorola SLR 5500          | 500 mm RG 400 cable 50 Ohm N(m) straight / N(m) angle<br>500 mm RG 400 cable 50 Ohm N(m) straight / BNC(m) angle |
| To be ordered seperately:<br>Cables for ICOM IC- FR5000 and FR6000 | 500 mm RG 400 cable 50 Ohm N(m) straight / N(m) angle<br>500 mm RG 400 cable 50 Ohm N(m) straight / N(m) angle   |
| To be ordered seperately:<br>Cables for HYTERA RD98x and RD98xS    | 500 mm RG 400 cable 50 Ohm N(m) straight / N(m) angle<br>500 mm RG 400 cable 50 Ohm N(m) straight / N(m) angle   |
| MECHANICAL                                                         |                                                                                                                  |
| DIMENSIONS<br>(W x H x D)                                          | 19" x 1HU x D.<br>(483 x 43 x 220 mm (DPF))<br>(483 x 43 x 130 mm (MPX))                                         |
| WEIGHT: DPF                                                        | 600 g.                                                                                                           |
| WEIGHT: MPX                                                        | 500 g.                                                                                                           |

